Product Environmental Aspects Declaration

EP and IJ printer (PCR number: AD-04)



No. AD-18-E983 Date of publication Jun./05/2018



http://www.brother-usa.com/

For inquiry:

Environmental Product Group Production Innovation Dept. Production & Engineering Center Brother Industries, Ltd.

Tel: +81-52-824-2511 (Representative)

Fax: +81-52-824-5166



Laser Printer HL-L6400DWT

Specifications:

- Electrophotographic Printer (EP)
- Black & White
- Printing Speed: 50ppm (A4)
- Maximum Printing Size: Legal
- Wireless 802.11b/g/n, Gigabit Ethernet, Hi-Speed USB 2.0
- Duplex Printing

The following data is calculated by assuming the product prints 1,500,000 sheets in 5-year usage period.

- < Main environmental impact in the product lifecycle >
- Energy consumption


25,200MJ

Global warming impact (CO₂ equivalent)

1,445.1kg

Acidification impact (SO₂ equivalent)

2.25kg



- Electric power consumption in 5 years of "Use stage" is 596kWh.
- The above data does not include the environmental impact of the paper that is used for printing.

Notes:

- 1. Original LCA data is available on PEIDS: Product Environmental Information Declaration Sheet, and Product Data Sheet.
- 2. Unified rules and requirements for EcoLeaf LCA, for intended product category, are available as a PCR:Product Category Rule. Visit EcoLeaf website under JEMAI homepage at http://www.ecoleaf-jemai.jp/eng/ for details.
- 3. Basic Units used for calculations are based on Japan domestic data at this time, due to a lack of base data to establish localized Basic Unit for overseas locations adequately.
- 4. This declaration was produced using Product Category Rule intended for a product model sold in the Japanese market and using the qualitative and quantitative data collected in Japan.

[Supplemental environmental information]

The product assembly and main parts of toner and photoreceptor are produced at plants certified with ISO 14001. The product conforms to the International Energy Star Program.

PCR review was conducted by: PCR Deliberation Committee, January 01, 2008, Name of representative: Yohji Uchiyama, University of Tsukuba, Graduate School


Independent verification of the label and data, according to ISO 14025 🗆 internal 🔳 external Third party verifier *: System auditor, Yasuo Koseki

Program operator: Japan Environmental Management Association for Industry Email: ecoleaf@jemai.or.jp

The EcoLeaf is an environmental labeling program that belongs to the ISO-Type III category.

^{*} In the case of a business entity certified as an Ecoleaf-data-collection system, the names of certification auditors are written.

Product Environmental Information Data Sheet (PEIDS)





PCR name	EP(Electrophotographic Printer) an	Product type	HL-L6400DWT				
PCR code	AD-04	Product weight (kg)	17.02	Package (kg)	8.24	Weight total (kg)	26.16

				Life Cycle Stage		Produ	uction				
In/O	ut iten	าร			Unit	Raw material	Product	Distribution	Use	Disposition	Total
			ooray C	Consumption	MJ	2.18E+03	2.50E+02	8.70E+01	2.27E+04	2.72E+01	2.52E+04
			lergy C	orisumption	Mcal	5.20E+02	5.98E+01	2.08E+01	5.42E+03	6.50E+00	6.03E+03
			seo.	Coal	kg	9.87E+00	1.56E+00	2.03E-04	1.00E+02	1.66E-01	1.12E+02
			inose	Crude oil (for fuel)	kg	2.32E+01	2.05E+00	1.90E+00	2.10E+02	2.86E-01	2.37E+02
			2 A6	LNG	kg	3.84E+00	8.05E-01	2.93E-02	4.41E+01	8.55E-02	4.89E+01
			Enei	Uranium content of an ore	kg	3.69E-04	1.05E-04	1.38E-08	4.64E-03	1.12E-05	5.12E-03
	L C			Crude oil (for material)	kg	1.06E+01	1.29E-02	0	8.94E+01	0	1.00E+02
	Consumption	S		Iron content of an ore	kg	5.26E+00	0	0	3.05E+01	0	3.57E+01
	Ē	ce		Cu content of an ore	kg	2.39E-01	0	0	8.60E-02	0	3.25E-01
	ns	'n		Al content of an ore	ka	1.12E-01	0	0	2.40E+00	0	2.51E+00
	l o	SSC	Ś	Ni content of an ore	kg	1.36E-02	0	0	2.19E-01	0	2.32E-01
	O	9 6	Ce Ce	C content of an ore	kg	2.00E-02	0	0	3.06E-01	0	3.26E-01
	Sce	əlq	Ę	Mn content of an ore	kg	2.70E-02	0	0	1.95E-01	0	2.22E-01
	Inc	sti	resources	Pb content of an ore	kg	1.07E-02	0	0	2.37E-03	0	1.31E-02
	Resource	Exhaustible resources	=	Sn content of an ore	kg	-	-	-	-	-	
		×	Mineral	Zn content of an ore	kg	1.06E-01	0	0	2.33E-02	0	1.29E-01
	þ	Ш	i.e	Au content of an ore	kg	-	-	-	-	-	
	t		Σ	Ag content of an ore	kg	-	_	-	-	-	
S	pa			Silica Sand	kg	3.86E-01	0	0	5.54E-01	0	9.40E-01
anaiyses	Impact by			Halite	kg	2.16E+00	7.16E-05	0	9.34E+00	6.92E-03	1.15E+01
aj.				Limestone	kg	1.30E+00	4.64E-03	0	9.50E+00	2.41E-01	1.10E+01
au				Natural soda ash	kg	3.26E-02	0	0	2.21E-02	0	5.47E-02
≥				Wood	kg	1.78E+01	1.16E-01	0	1.68E+02	0	1.86E+02
nventory			1	Water	kg	9.52E+03	1.19E+03	1.53E-01	7.08E+04	1.41E+02	8.17E+04
/er	Ħ		-	CO2	kg	1.08E+02	1.32E+01	6.17E+00	1.27E+03	2.58E+01	1.42E+03
<u>⊆</u>	Jer		_	Sox	ka	6.06E-02	9.64E-03	3.92E-03	7.95E-01	1.35E-02	8.83E-01
	<u>ا</u> ۾		ele ele	Nox	kg	1.50E-01	9.48E-03	3.22E-02	1.73E+00	2.86E-02	1.95E+00
	۸		š	N2O	kg	1.00E-02	4.08E-04	9.96E-04	8.15E-02	3.41E-05	9.30E-02
	en		Sc	CH4	kg	9.85E-04	2.82E-04	3.68E-08	1.24E-02	3.01E-05	1.37E-02
	Je		Atmosphere	CO	kg	1.22E-02	1.94E-03	8.96E-03	2.44E-01	5.13E-03	2.72E-01
	o t		₹	NMVOC	kg	1.93E-03	5.52E-04	7.21E-08	2.42E-02	5.90E-05	2.67E-02
	Je t		\$	CxHy	kg	4.80E-03	1.31E-04	9.26E-04	4.05E-02	8.97E-05	4.65E-02
	arc			Dust	kg	1.41E-02	5.93E-04	3.01E-03	1.40E-01	1.62E-03	1.60E-01
	l ch	Ε	<u>.</u> ⊆	BOD	kg	- 1.412-02	3.33L 04	3.01E-03	1.40L-01	1.02L-03	1.002 01
	Emission/Discharge to the environment	system	o Water domain	COD	ka	_	-	-	-	_	
	o o	ır sy	9	N total	kg	-	-	-	-	-	
	SSi	Water	/ate	P total	ka	-	-	-	-	-	
	Ë	2	<u>\$</u>	SS	kg	-	-	-	-	-	
				Unspecified Solid Waste	kg	1.45E+00	1.73E-03	0	7.42E+01	8.65E+00	8.43E+01
	t b		system	Slag	kg	1.77E+00	0	0	9.33E+00	0.032100	1.11E+01
	Impact by		Soil s	Sludge	kg	1.40E-01	0	0	5.09E+00	0	5.23E+00
	Ē		ر 2	Low level radio-active waste	ka	2.58E-04	7.36E-05	9.62E-09	3.24E-03	7.85E-06	3.58E-03
#	* 6			Energy resources (crude oil equivalent)	kg	3.72E+01	4.88E+00	1.94E+00	3.65E+02	5.88E-01	4.10E+02
smer	y Peso Zeaung	Exhaustil	ole resources	Mineral resources (Iron ore equivalent)	kg	7.46E+01	7.11E-03	0	2.77E+02	0.002-01	3.52E+02
38688	~			Global Warming (CO2 equivalent)	kg	1.11E+02	1.33E+01	6.44E+00	1.29E+03	2.58E+01	1.45E+03
ict as	rission sarge to	to Atm	nosphere	Acidification (SO2 equivalent)	kg	1.66E-01	1.63E-02	2.65E-02	2.01E+00	3.35E-02	2.25E+00
edul	by Em Dischs envice			ricialization (OO2 equivalent)	кg	1.002 07	1.000 02	2.000-02	2.012100	0.00L 02	2.202100
_											

[Notes for readers: EcoLeaf common rules]

I. Stage related

- A. "Production" stage is intended for two sub-stages listed below.
- (1) "Raw material" production: consists of mining, transportation and raw material production.
- (2) "Product" production: consists of the parts processing, assembly and installation.
- B. "Distribution" stage is intended for transportation of produced product, Transportation of consumables and maintenance goods (e.g. replacement parts) for use of the product are included into "Use" stage.
- C. "Use" stage is intended for use of the product (active mode, standby mode, etc.) and production, transportation to disposal of consumables/maintenance goods (e.g. replacement parts)
- D. "Disposition" stage is intended for environmental impacts by product disposition.

II Inventory analyses

- A. Data of mineral ore on "Exhaustible resources" are presented in weight of pure ingredients (e.g. iron, aluminum) in the ore.
- B. Data on energy resources are presented based on origin in calorific value. e.g. Data on uranium ore presents weight of uranium concentrate, which is available for use as an atomic fuel. C. Data of discharge to water system are in actual figure (not calculated using unit function in inventory analyses).

Result of the "Impact analyses" is found in converting results of inventory analyses into total amount of a reference material (e.g. CO₂ in case of "Global Warming").

A. Impact "by resource consumption" represents magnitude of impacts to resource depletion.

B. Impact "by emission/discharge to environment" represents magnitude of impacts to Atmosphere, Water and Soil system

IV Data entry format

- A. Exponential notation, after the decimal point to two, should be used.
- B. Indicate "0" instead exponential notation, if the result of calculation or estimation is considered as "zero" or negligible in comparison to related results. C. Indicate " " if calculation nor estimation can not be done, in order to differentiate to indicate "zero".
- D. Row total of the data is automatically calculated, excluding a row includes " " item. Row total of such is presented as a blank (no data)

(BGD for material production are for production from mineral ore. Those data do not include reclaiming processes like recovery from scrap.)

[Notes for readers: Target product specific]

- 1. Product weight includes the accessories as standard equipment, a toner cartridge and a drum unit. Packaging weight includes packaging material and appended goods (e.g., user's manual, other printed matter, polyethylene bags).
- 2. Production stage includes the production/distribution impact of the parts making up a machine and the initial set of a toner cartridge and a photo conductor, as well as the impact of product assembly.
- 3. Distribution stage's impact is calculated according to the PCR. The transportation distance of a product from an overseas factory to the port of Japan is based on actual distance.

The transportation distance in Japan uses 100 kmas average distance

4. Use stage's impact is calculated according to the PCR. It includes the impact of printing 1,500,000 sheets, calculated by supposing a user use a machine for 5 years.

It also includes the electricity consumption of a machine calculated based on 5-year use, supposing a month consists of 4 weeks, with weekly electricity consumption calculated by the TEC test procedure.

The production, distribution, and disposal/recycle impact of the consumables used in those 5 years is also included. The distribution impact of consumables is calculated under the same condition of products:

The transportation distance of consumables from an overseas factory to the port of Japan is based on actual distance. The transportation distance in Japan uses 100 km as average distance.

Since we have not collected consumables as a producer, which are newly introduced, they are assumed to be collected as general waste, crushed and separated as combustible/non-combustible material.

This stage includes the incineration impact of combustible materials and the landfill impact of non-combustible materials of consumables

5. Disposal stage: Since we have not collected machines as a producer, they are assumed to be collected as general waste, crushed and separated as combustible/non-combustible material

This stage includes the incineration impact of combustible materials and the landfill impact of non-combustible materials of machines.

6. Others: This declaration was produced using Product Category Rule intended for a product model sold in the Japanese market and using the qualitative and quantitative data collected in Japan.

Product data sheet

(Input data and parameters for LCA)

	, , , , , , , , , , , , , , , , , , , ,
Document control no.	F-03s-02
Product vendor	Brother Industries,LTD.
EcoLEaf registration no.	AD-18-E983



PCR name	EP and IJ printer(PCR ID:AD-04)	Product type	HL-L6400DWT				
LCA/LCIA in units of:	1	Product weight (kg)	17.02	Package (kg)	8.24	Weight total (kg)	26.16

1. Product information (per unit): parts etc. by material and by process/assembly method

	Bro	eakdown of pr	rimary materials		Math breakdown of parts, which need to apply Processing / Assembly Base Units (Parts B, C)				
	Material name	Weight (kg) Material name		Weight (kg)	Process name	Weight (kg)	Process name	Weight (kg)	
	Steel	4.48E+00	Semiconductor substrate	9.59E-01	Press molding:liton (kg)	4.57E+00	Parts assembly (kg)	1.82E+00	
	Stainless steel	8.55E-02	Medium-sized motor	5.38E-01	Press molding:Nonferrous metal (kg)	1.82E-02			
-	Aluminum	6.16E-02	6.16E-02 Lubricants		Injection molding (kg) 1.12E+01				
roduct	Thermoplastic resin	1.14E+01			Glass molding (kg)	1.05E-01			
2	Thermosetting resin	3.22E-02							
	Rubber	1.57E-01							
	Glass	1.05E-01							
	Paper	8.35E+00							
	Subtotal	2.47E+01	Subtotal	1.51E+00					
		Total		2.62E+01	Subtotal	1.59E+01	Subtotal	1.82E+00	

Note

2. Production site information (per unit): Consumption and discharge/emission for production/processing/assembly within the site.

SOx and NOx should be indicated in SO_2 , NO_2 equivalent.

	Classification	Material	Energy	Energy	Energy	Energy	Energy	Material	Material
	Distribution	Corrugated cardboard (kg)	Electricity (kwh)	LNG as fuel (kg)	Diesel oil as fuel (kg)	Heavy oil fuel (kg)	Freight by ship (kg.km)	Raw wood (foreign) (kg)	Low density polyethylene (kg)
. <u>e</u>	Quantity	5.12E-02	1.08E+01	2.07E-02	1.93E-02	1.82E-01	1.32E+03	7.38E-03	4.29E-03
sumption	Note								
ll St	Classification	Energy	Energy	Energy	Energy	Material			
Cons	Distribution	LPG(NPG) as fuel (kg)	Diesel truck: 10 ton (kg.km)	Incineration: Industrial waste (kg)	Diesel truck: 20 ton (kg.km)	PP (kg)			
	Quantity	3.67E-02	5.16E+01	7.16E-02	7.07E+01	8.71E-03			
	Note								
arge	Classification								
Disch	Distribution								
/uois	Quantity	·							
Emis	Note								

Note

3. Distribution stage information (per unit): means, distance, loading ratio, consumptions and emissions/discharges.

	Means of transportation	Diesel truck: 20 ton (kg.km)	Freight by ship (kg.km)						
	Conditions	Mass (kg)	Distance (km)	Loading Ratio (%w)	Load (kg·km)	Mass (kg)	Distance (km)	Loading Ratio (%w)	Load (kg·km)
8	Quantity	2.62E+01	7.00E+01	2.25E+01	8.14E+03	2.62E+01	3.50E+03	1.00E+02	9.16E+04
buti	Note								
=	Means of transportation	Diesel truck: 10 ton (kg.km)							
Dis	Conditions	Mass (kg)	Distance (km)	Loading Ratio (%w)	Load (kg·km)				
	Quantity	2.62E+01	1.00E+02	2.25E+01	1.16E+04				
	Note								

Note

4. Use stage (per unit): use condition (mode, term) including active mode, standby mode and maintenance.

4.1 Product and accessories subject to this analysis

	auot ana ac	occococc canjo	ct to tilis alialysi						
	Classification	Consumption	Consumption	Consumption	Consumption	Consumption	Consumption	Consumption	Consumption
	Distribution	Electricity (kwh)	Diesel truck: 20 ton (kg.km)	Freight by ship (kg.km)	Diesel truck: 10 ton (kg.km)	Cold-Rolled steel plate (kg)	Electroplated steel Plate (kg)	Stainless steel plate (kg)	Aluminum plate (kg)
	Quantity	5.96E+02	5.83E+04	7.12E+05	8.33E+04	1.84E-01	2.85E+01	1.38E+00	2.24E+00
	Note	Electricity consumption for 5 years	Distribution of consumables used in 5 years	Distribution of consumables used in 5 years	Distribution of consumables used in 5 years				
	Classification	Consumption	Consumption	Consumption	Consumption	Consumption	Consumption	Consumption	Consumption
	Distribution	Glass (kg)	High density polyethylene (kg)	Low density polyethylene (kg)	PP (kg)	PA66 (Polyamide 66) (kg)	PS (kg)	PBT(Poly Butylene Terephtalate) (kg)	Polycarbonate (kg)
	Quantity	2.01E-01	2.69E-02	3.74E+00	2.49E+00	3.36E-02	3.16E+01	3.37E-02	4.08E+00
	Note								
	Classification	Consumption	Consumption	Consumption	Consumption	Consumption	Consumption	Consumption	Consumption
	Distribution	PC-ABS(70/30)(kg)	POM(polyacetal) (kg)	ABS (kg)	AS resin (kg)	MMA resin (kg)	PET (kg)	Expandable soft polyurethane (for automobile) (kg)	Nitrile-butadiene rubber (NBR) (kg)
	Quantity	4.63E-01	4.16E+00	3.67E+00	3.83E+01	2.94E-01	3.84E+00	1.36E+00	1.62E+00
Product	Note								
ļ Š	Classification	Consumption	Consumption	Consumption	Consumption	Consumption	Consumption	Consumption	Consumption
_	Distribution	Corrugated cardboard (kg)	Paper (Western style)	Assembled circuit board(kg)	Medium-sized motor (kg)	Press molding: Iron (kg)	Press molding: Nonferrous metal (kg)	Injection molding (kg)	Glass molding (kg)
	Quantity	7.34E+01	1.52E+00	2.11E-01	2.87E-01	3.00E+01	1.18E-01	5.74E+01	2.01E-01
	Note								
	Classification	Consumption	Consumption	Consumption	Consumption	Consumption	Consumption	Consumption	Process
	Distribution	Parts assembly (kg)	Electricity (kwh)	Heavy oil fuel (kg)	Diesel oil as fuel (kg)	LPG(NPG) as fuel (kg)	LNG as fuel (kg)	Raw wood (foreign) (kg)	Incineration: Industrial waste (kg)
	Quantity	1.13E+01	2.84E+02	2.11E+01	2.05E-01	3.90E-01	1.02E+00	3.62E-01	5.71E+00
	Note		Production of consumables used in 5 years	Production of consumables used in 5 years	Production of consumables used in 5 years	Production of consumables used in 5 years	Production of consumables used in 5 years	Production of consumables used in 5 years	Production of consumables used in 5 years
	Classification	Consumption	Consumption	Consumption	Consumption	Consumption	Consumption		
	Distribution	Diesel truck: 20 ton (kg.km)	Freight by ship (kg.km)	Diesel truck: 10 ton (kg.km)	Corrugated cardboard (kg)	Low density polyethylene (kg)	PP (kg)		
	Quantity	3.46E+03	1.41E+05	5.98E+03	3.85E+00	4.97E-01	1.01E+00		
	Note	Production of consumables used in 5 years	Production of consumables used in 5 years	Production of consumables used in 5 years	Production of consumables used in 5 years	Production of consumables used in 5 years	Production of consumables used in 5 years		·

Note Electric power consumption in 5 years of "Use stage" is 596kWh.

4.2 Disposition/Recycle information on consumables and replacement parts

4.2 DIS	: disposition/Recycle information on consumables and replacement parts										
les	Classification	Consumption	Process	Process	Process						
nab	Distribution	Diesel truck: 4 ton (kg.km)	Shredding (kg)	Incineration to 1 andfill	Landfill: General waste (kg)						
IISU	Quantity	1.98E+04	1.19E+02	1.67E+02	3.81E+01						
S	Note	Consumables not collected	Consumables not collected	Consumables not collected	Consumables not collected						

Note

5. Disposition/Recycle stage information (per product): process method and scenarios

٠	Disposition/recoyote stage information (per product). Process method and sociation										
	0	Classification	Consumption	Process	Process	Process					
		Distribution	Diesel truck: 4 ton (kg.km)	Shredding (kg)	Incineration to 1 andfill	Landfill: General waste (kg)					
	Ser	Quantity	2.39E+03	1.55E+01	1.89E+01	5.72E+00					
S	S	Note	Machines not collected	Machines not collected	Machines not collected	Machines not collected					

Note