

Product Environmental Aspects Declaration



Paper Beverage Carton (PSC BD-01)

No. BD-07-015



Nihon Tetra Pak K.K.
<http://www.tetrapak.co.jp>
 Environment & Communication Division
 Tel. 03-5211-2061

Tetra Brik 200ml
 Water Based Flexographic Printing
 - Sealed Paper Beverage Carton for
 Chilled Distribution of School Milk



Consumption and discharge in a life cycle	All the stage sum totals
Global Warming (CO ₂ equivalent)	29g (24g)
Acidification (SO ₂ equivalent)	0.088g (0.081g)
Energy resources (crude oil equivalent)	0.55MJ (0.43MJ)

Figures in () indicated environmental impact including recycle effect *note3



Raw Materials/Product/Distribution/Use/Waste Management

- The environmental burden reported for this label does not include the environmental burden related production of the packed product.
- Energy consumption for the filling operation which is part of the beverage production system is included.
- Environmental burden data for paperboard production included is for actual liquid paperboard production.
- Distribution includes burden for insulated trucks.
- Use stage includes refrigerated storage at schools.
- Recycle effects includes recycling from all stages including production waste, filler waste and consumer waste cartons.
- Distribution stage includes includes the weight burden of packed product. 84.9% of the distribution burden is for packed product.

Notes:

- Original LCA data is available on PEIDS: Product Environmental Information Declaration Sheet, and Product Data Sheet.
- Unified rules and requirements for EcoLeaf LCA, for intended product category, are available as a PSC: Product Specification Criteria. Visit EcoLeaf website under JEMAI homepage at http://www.jemai.or.jp/ecoleaf_e/ for details.
- Recycle Effect illustrates an indirect influence to other products/services.
- Basic Units used for calculations are based on Japan domestic data at this time, due to a lack of base data to establish localized Basic Unit for overseas locations adequately.

[Supplemental environmental information]

The printing and lamination of this product is conducted at a factory that has an ISO14001 certified environmental management system.
 The filling machine used to fill these cartons is assembled at a factory that has an ISO14001 certified environmental management system.
 Nihon Tetra Pak K.K. has an ISO14001 certified environmental management system.

Product Environmental Information Data Sheet (PEIDS)



Document control no.	F-02Bs-02
Product vendor	Nihon Tetra Pak K.K.
EcoLeaf registration no.	BD-07-015

Unit Function DB version	v2.0s
Characterization Factor DB version	v2.0s

PSC name	Paper Beverage Carton		Product type	Chilled Distribution Sealed Beverage Carton TB200B			
PSC code	BD-01	Product weight (kg)	0.00771	Package (kg)		Weight total (kg)	0.00771

In/Out items	Life Cycle Stage	Unit	Production		Distribution	Use	Disposition	Recycle Effect			
			Raw material	Product							
Energy Consumption											
		MJ	2.75E-01	1.83E-01	4.27E-02	4.72E-02	2.94E-03	-1.17E-01			
		Mcal	6.56E-02	4.38E-02	1.02E-02	1.13E-02	7.02E-04	-2.81E-02			
Inventory analyses	Impact by Resource Consumption	Energy resources	Coal	kg	1.12E-03	3.63E-04	1.00E-07	2.69E-04	2.10E-05	-1.04E-04	
			Crude oil (for fuel)	kg	1.58E-03	2.31E-03	9.32E-04	3.04E-04	2.55E-05	-1.92E-03	
			LNG	kg	9.86E-04	2.10E-04	1.44E-05	1.34E-04	1.06E-05	-7.95E-05	
			Uranium content of an ore	kg	4.04E-08	2.46E-08	6.76E-12	1.82E-08	1.42E-09	-7.01E-09	
			Crude oil (for material)	kg	1.86E-03	7.60E-04	0	0	0	-4.64E-04	
		Exhaustible resources	Mineral resources	Iron content of an ore	kg	0	0	0	0	0	0
				Cu content of an ore	kg	0	0	0	0	0	0
				Al content of an ore	kg	0	0	0	0	0	0
				Ni content of an ore	kg	0	0	0	0	0	0
				C content of an ore	kg	0	0	0	0	0	0
	Mn content of an ore			kg	0	0	0	0	0	0	
	Pb content of an ore			kg	0	0	0	0	0	0	
	Sn content of an ore			kg	0	0	0	0	0	0	
	Zn content of an ore			kg	0	0	0	0	0	0	
	Au content of an ore			kg	0	0	0	0	0	0	
	Impact by Emission/Discharge to the environment	to Atmosphere	Ag content of an ore	kg	0	0	0	0	0	0	
			Silica Sand	kg	0	0	0	0	0	0	
			Halite	kg	3.08E-04	6.68E-07	0	0	3.29E-07	1.22E-06	
			Limestone	kg	8.26E-05	1.93E-05	0	0	3.37E-05	7.91E-05	
			Natural soda ash	kg	0	0	0	0	0	0	
Wood			kg	1.61E-02	0	0	0	0	-1.10E-02		
Water			kg	4.86E-01	3.53E-01	7.64E-05	2.03E-01	1.80E-02	-3.27E-01		
CO2			kg	9.50E-03	9.16E-03	3.01E-03	2.09E-03	3.56E-03	-4.67E-03		
Sox			kg	1.00E-05	4.58E-06	3.70E-06	1.59E-06	1.83E-06	-5.32E-07		
Nox			kg	2.91E-05	1.52E-05	4.62E-05	1.26E-06	3.45E-06	-1.02E-05		
Impact by Emission/Discharge to the environment	to Water system	N2O	kg	2.94E-06	1.48E-06	5.42E-08	2.28E-08	3.02E-09	-4.34E-07		
		CH4	kg	1.07E-07	6.57E-08	1.81E-11	4.86E-08	3.79E-09	-1.89E-08		
		CO	kg	1.64E-06	1.88E-06	1.78E-05	3.09E-07	5.01E-07	-1.15E-07		
		NMVOG	kg	2.09E-07	1.29E-07	3.54E-11	9.52E-08	7.43E-09	-3.68E-08		
		CxHy	kg	6.70E-07	5.91E-07	9.33E-07	4.97E-09	1.15E-09	-2.11E-07		
		Dust	kg	8.67E-07	1.46E-06	3.70E-06	6.81E-08	1.83E-07	-3.22E-07		
		BOD	kg	4.81E-06	-	-	-	-	-		
		COD	kg	-	-	-	-	-	-		
		N total	kg	1.34E-06	-	-	-	-	-		
		P total	kg	3.38E-06	-	-	-	-	-		
Impact by Emission/Discharge to the environment	to Soil system	SS	kg	1.25E-05	-	-	-	-	-		
		Unspecified Solid Waste	kg	7.20E-05	3.04E-05	0	0	4.11E-04	-5.28E-05		
		Slag	kg	0	0	0	0	0	0		
		Sludge	kg	0	0	0	0	0	0		
		Low level radio-active waste	kg	2.82E-08	1.71E-08	4.73E-12	1.27E-08	9.89E-10	-4.93E-09		
		Impact assessment by Res	to Atmosphere	Energy resources (crude oil equivalent)	kg	3.82E-03	2.99E-03	9.49E-04	7.86E-04	6.33E-05	-2.14E-03
				Mineral resources (Iron ore equivalent)	kg	1.02E-03	4.18E-04	0	0	0	-2.55E-04
				Global Warming (CO2 equivalent)	kg	1.03E-02	9.56E-03	3.03E-03	2.09E-03	3.56E-03	-4.79E-03
				Acidification (SO2 equivalent)	kg	3.04E-05	1.52E-05	3.61E-05	2.48E-06	4.25E-06	-7.66E-06
				Ozone Depletion (CFC-11 equivalent)	kg	0	0	0	0	0	0
Photochemical Oxidant	kg			7.01E-07	8.86E-07	1.89E-06	7.02E-08	7.97E-08	-2.29E-07		
Eutrophication (Phosphate equivalent)	kg			1.09E-05	0	0	0	0	0		

[Notes for readers: EcoLeaf common rules]

I. Stage related

- A. "Production" stage is intended for two sub -stages listed below.
 - (1) "Raw material" production: consists of harvesting of trees, mining, transportation and raw material production including paper.
 - (2) "Product" production: consists of the production of the packaging material and filling at the beverage plant.
 - * The energy for operation of the filling machine in the filling process is included.
 - * The energy for production of the packed product is not included in this label.
- B. "Distribution" stage includes transport from the dairy plant to schools.
 - * 5% added for burden for 2 ton insulated trucks.
- C. "Use" stage includes refrigerated storage. Refrigeration period: 1 day Temperature: 5 degrees C, Usable Volume: 1635 liters, electricity consumption 501W/h
- D. "Disposition/Recycle" stage is intended for environmental impacts by product disposition /recycle, and deduction by recycling (e.g. impact reduction of raw material production).
 - * Recycling rate for post consumer cartons is from "2005 Paper Beverage Carton Recycling Status and Trends", COMCEI
- E. "Recycle Effect" illustrates an indirect environmental influences to other products/services by use of reclaimed materials/parts, and/or by supply of used products to other businesses for material reclaim/parts reuse.
 - Case 1: Use of reclaimed materials/parts: Sum of increase of environmental impact by collection activities of used materials/parts, and decrease by volume reduction of used materials/parts.
 - Case 2: Supply of used products to other businesses for material reclaim/parts reuse: Sum of increase of environmental impact by materials/parts reclaiming process.

II. Inventory analyses

- A. Data of mineral ore on "Exhaustible resources" are presented in weight of pure ingredients (e.g. iron, aluminum) in the ore.
- B. Data on energy resources are presented based on origin in calorific value. e.g. Data on uranium ore presents weight of uranium concentrate, which is available for use as an atomic fuel.
- C. Data of discharge to water system are in actual figure (not calculated using unit function in inventory analyses).

III Impact analyses

- Result of the "Impact analyses" is found in converting results of inventory analyses into total amount of a reference material (e.g. CO₂ in case of "Global Warming").
- A. Impact "by resource consumption" represents magnitude of impacts to resource depletion.
- B. Impact "by emission/discharge to environment" represents magnitude of impacts to Atmosphere, Water and Soil system.

IV Data entry format

- A. Exponential notation, after the decimal point to two, should be used.
- B. Indicate "0" instead exponential notation, if the result of calculation or estimation is considered as "zero" or negligible in comparison to related results.
- C. Indicate " - " if calculation nor estimation can not be done, in order to differentiate to indicate "zero".
 - (BGD for material production are for production from mineral ore. Those data do not include reclaiming processes like recovery from scrap.)

[Notes for readers: Target product specific]

- * Environmental impact of the PE lamination process includes electricity consumption.
- * Fuel consumption for refrigerated and insulated trucks calculated based on Ecoleaf common fuel consumption.
- * Data for production of liquid paperboard is based on the data from a liquid paperboard producing plant.

Product data sheet

(Input data and parameters for LCA)



Document control no.	F-03s-02
Product vendor	Nihon Tetra Pak K.K.
EcoLeaf registration no.	BD-07-015

PSC name	Paper Beverage Carton (PSC BD-01)	Product type	Chilled Distribution Sealed Beverage Carton TB200B				
LCA/LCIA in units of:	1 pack	Product weight (kg)	0.00771	Package (kg)		Weight total (kg)	0.00771

1. Product information (per pack): parts etc. by material and by process/assembly method

Product	Breakdown of primary materials				Math breakdown of parts, which need to apply Processing / Assembly Base Units (Parts B, C)			
	Material name	Weight (kg)	Material name	Weight (kg)	Process name	Weight (kg)	Process name	Weight (kg)
	Paperboard	5.84E-03						
	LDPE	1.81E-03						
	Ink	6.00E-05						
	Subtotal	7.71E-03	Subtotal	0.00E+00				
	Total	7.71E-03	Subtotal	0.00E+00	Subtotal	0.00E+00	Subtotal	0.00E+00

Note Paper beverage carton for chilled distribution, water based flexographic printing. Ink is included in Others.

2. Production site information (per pack): Consumption and discharge/emission for production/processing/assembly within the site.

SOx and NOx should be indicated in SO₂, NO₂ equivalent.

Consumption	Classification	Consumption	Consumption	Consumption	Material	Material	Energy	Material	Energy
	Distribution	原紙	Low density polyethylene (kg)	Ink (kg)	Industrial water (kg)	Steam (kg)	Electricity (kwh)	Limestone	Heavy oil (kg)
	Quantity	9.89E-04	2.89E-04	8.18E-06	7.51E-02	3.20E-04	1.43E-02	8.26E-05	2.19E-05
	Note								
Consumption	Classification	Material	Energy	Material	Material	Material	Material	Energy	Energy
	Distribution	Sodium hydrate (kg)	Furnace LPG (kg)	Oxygen (m3)	High density polyethylene (kg)	Cl2 (kg)	water	Furnace urban gas (13A) (m3)	Coal (kg)
	Quantity	3.25E-04	4.32E-04	9.76E-05	4.67E-04	7.37E-05	6.89E-01	8.52E-04	4.05E-04
	Note								
Consumption	Classification	Material	Energy	Condition	Condition	Condition			
	Distribution	Wood chip(Imported) (kg)	Heavy oil as fuel (kg)	Diesel truck:10 ton (kg.km)	Freight by ship (kg.km)	Diesel truck:20 ton (kg.km)			
	Quantity	1.61E-02	6.15E-05	1.67E+00	6.83E+01	5.17E-01			
	Note								
Emission / Discharge	Classification	Water system	Atmosphere	Soil system	Atmosphere	Water system	Water system	Water system	Water system
	Distribution	Sewage processing (kg)	Sox	Incineration: Industrial waste (kg)	Nox	BOD	P total	N total	SS
	Quantity	6.40E-02	3.54E-06	2.97E-04	1.71E-05	4.81E-06	3.38E-06	1.34E-06	1.25E-05
	Note								
Emission / Discharge	Classification	Soil system							
	Distribution	Unspecified Solid Waste							
	Quantity	3.40E-05							
	Note								

Note Transportation of paper board from US west coast to Japan is included.

3. Distribution stage information (per pack): means, distance, loading ratio, consumptions and emissions/discharges.

Distribution	Means of transportation	Diesel truck:2 ton (kg.km)	Diesel truck:2 ton (kg.km)	Diesel truck:2 ton (kg.km)	Diesel truck:2 ton (kg.km)	Diesel truck:2 ton (kg.km)	Diesel truck:2 ton (kg.km)	Diesel truck:2 ton (kg.km)	Diesel truck:2 ton (kg.km)
	Conditions	Mass(kg)	Distance (km)	Loading Ratio(%w)	Load(kg· km)	Mass(kg)	Distance (km)	Loading Ratio(%w)	Load(kg· km)
	Quantity	2.48E-01	4.00E+01	5.66E+01	1.75E+01	4.67E-04	4.00E+01	6.72E+00	2.78E-01
	Note								

Note PSC BD-01 Life Cycle Scenario 3. Chilled Distribution Sealed Paper Beverage Carton of school milk. Weight of packed product included from Beverage Plant -> school transport stages. The energy burden for refrigerated/insulated truck used was 5% for 2 ton trucks.

4. Use stage (per pack): use condition (mode, term) including active mode, standby mode and maintenance.

4.1 Product and accessories subject to this analysis

Product	Classification	Consumption							
	Distribution	Electricity (kwh)							
	Quantity	5.01E-03							
	Note								

Note PSC BD-01 Life Cycle Scenario 3. School Milk Distribution. 1635 liter refrigerator, 1 day storage, electricity consumption 501W/h

4.2 Disposition/Recycle information on consumables and replacement parts

Consumables	Classification								
	Distribution								
	Quantity								
	Note								

Note

5. Disposition/Recycle stage information (per pack): process method and scenarios

Scenario	Classification	Discharge	Process	Deduction	Process	Deduction	Process		
	Distribution	Incineration to landfill(as ash) (kg)	Recycle.to Paper (kg)	Paper(Western style) (kg)	Recycle.to Thermoplastic pellet (kg)	High density polyethylene (kg)	Incineration: Industrial waste (kg)		
	Quantity	2.65E-03	4.82E-03	4.82E-03	4.67E-04	4.67E-04	1.22E-03		
	Note								

Note Recycling rate for post consumer cartons is from "2005 Paper Beverage Carton Recycling Status and Trends", COMCEI